

**CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Canceled).
2. (Canceled).
3. (Canceled).
4. (Canceled).
5. (Canceled).
6. (Canceled).
7. (Canceled).
8. (Canceled).
9. (Canceled).
10. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said fluoropolymer possesses a weight average molecular weight,  $M_w$  of from about 500 to about 50,000.

11. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said fluoropolymer possesses a weight average molecular weight,  $M_w$  of from about 2,000 to about 20,000.

12. **(Canceled).**

13. **(Canceled).**

14. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said fluoropolymer is present in an amount of from about 1 to about 30 percent by weight

15. **(Canceled).**

16. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said binder is a polycarbonate, an acrylate polymer, a vinyl polymer, a cellulose polymer, a polyester, a polysiloxane, a polyamide, a polyurethane, a poly(cyclo olefin), or optionally an epoxy polymer.

17. **(Canceled).**

18. **(Canceled).**

19. **(Currently Amended)** A photoconductive imaging member comprised of a photogenerating layer, and a charge transport layer containing a binder and a fluoropolymer generated by the free radical polymerization of a fluoroalkyl (methyl)acrylate and an alkyl(methyl)acrylate, and wherein said fluoroalkyl ~~(methyl) acrylate—(methyl)acrylate~~ is trifluoroethyl methacrylate, trifluoroethyl acrylate, 2,2,3,3,4,4,4-heptafluorobutyl methacrylate, or 2,2,3,3,3-pentafluoropropyl methacrylate, and wherein the amount of said fluoroalkyl (methyl)acrylate ~~acrylate~~ present is from about 1 to about 99 weight percent.

20. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said alkyl (methyl)acrylate is methyl acrylate, methyl methacrylate, ethyl acrylate, propyl methacrylate, butyl methacrylate, or butyl acrylate.

21. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said alkyl (methyl)acrylate is methyl methacrylate, ethyl methacrylate, or butyl methacrylate.

22. **(Canceled).**

23. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said binder is a polycarbonate.

24. **(Previously Presented)** An imaging member in accordance with **claim 19** further including a hole blocking layer, and an adhesive layer.

25. **(Original)** An imaging member in accordance with **claim 24** wherein said hole blocking layer is comprised of an amino silane, or wherein said hole blocking layer is comprised of a metal oxide.

26. **(Previously Presented)** An imaging member in accordance with **claim 19** further containing a substrate and wherein said substrate is a rigid drum.


27. **(Previously Presented)** An imaging member in accordance with **claim 19** further containing a substrate and wherein said substrate is a flexible belt.

28. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said substrate is comprised of a conductive metal of aluminum, aluminized polyethylene terephthalate, or titanized polyethylene terephthalate, or titanized polyethylene naphthalate.

29. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said photogenerator layer is of a thickness of from about 0.05 to about 10 microns, and wherein said transport layer is of a thickness of from about 20 to about 70 microns.

30. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said photogenerating layer is comprised of a photogenerating pigment or photogenerating pigments dispersed in a resinous binder, and wherein said pigment or pigments are present in an amount of from about 5 percent by weight to about 95 percent by weight, and wherein the resinous binder is optionally selected from the group comprised of vinyl chloride/vinyl acetate copolymers, polyesters, polyvinyl butyrals, polycarbonates, polystyrene-b-polyvinyl pyridine, and polyvinyl formals.

31. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein the charge transport layer comprises aryl amines, and which aryl amines are of the formula



wherein X is selected from the group consisting of alkyl and halogen.

32. **(Original)** An imaging member in accordance with **claim 31** wherein said aryl amine is N,N'-diphenyl-N,N-bis(3-methyl phenyl)-1,1'-biphenyl-4,4'-diamine.

33. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said photogenerating layer is comprised of metal phthalocyanines, or metal free phthalocyanines.

34. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said photogenerating layer is comprised of titanyl phthalocyanines, perylenes, or hydroxygallium phthalocyanines.

35. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said photogenerating layer is comprised of Type V hydroxygallium phthalocyanine.

36. **(Previously Presented)** A method of imaging which comprises generating an electrostatic latent image on the imaging member of **claim 19**, developing the latent image, and transferring the developed electrostatic image to a suitable substrate.

37. **(Previously Presented)** An imaging member in accordance with **claim 19** wherein said photogenerating layer is of a thickness of from about 1 to about 5 microns, and said charge transport layer is of a thickness of from about 20 to about 50 microns.

38. **(Canceled).**

39. **(Canceled).**

40. **(Canceled).**

41. **(Canceled).**